ANNEXURE- XIX

Declaration by the Dean/ Principal of the college/ Institute

<u>DECLARATION</u> (To be prepared on a Stamp Paper Rs.100)

I, the Dean / Director / Principal of the
I am further hereby declare that every information or contents in this Inspection Format is based on the information provided by the concerned teachers and endorsed by me after due verification and the same is/are absolutely true and correct. If at any stage it is revealed that any information or content given in this declaration is not true and correct, in such event the undersigned / the concerned teacher, as the case may be, shall be liable for disciplinary action or benal action or Affiliation of the College shall be withdrawal, as the case may be.
This declaration is voluntarily signed by me on day of20 at

Signature of Dean/Director/Principal Name of the Signatory-(With Seal of the College / Institute)

Date:

Place:







website www.gdcnagpur.edu.in Email dean.gdcngp@gmail.com, dean.@gdcnagpur.edu.in

No. GDCH / SS/ LIC Inspection/315/2024

Dt. 19/1/2024

TO WHOMSOEVER IT MAY CONCERN

This is to certify that Govt. Dental College & Hospital, Nagpur is running 4 satellite clinic centers.

- 1. Central Jail, Nagpur: GDCH, Nagpur visit every Friday to create awareness among jail inmates regarding commonly occurring dental problems such as dental caries, periodontal disease & oral precancer- cancer. The team also provides basic dental treatments at the centre.
- 2. Dr. Ambedkar Hospital & Research center, Nagpur: The clinical assistant/ House office from GDCH, Nagpur is posted at satellite centre to provide dental treatment to patients.
- 3. Govt. Ayurvedic College & Hospital, Nagpur: Staff & interns from dept of Public Health Dentistry carry out screening & treatment of patients visiting dental OPD of Govt. Ayurvedic College & Hospital, Nagpur.

4. Rural Health Training Centre, Saoner: Staff & interns from dept of Public Health Dentistry carry out screening & treatment of patients.

Govt. Dental College & Hospital

Govt. Denta College & Hospital, Nagpur













vebsite : www.gdcnagpur.edu.in Email : dean.gdcngp@gmail.com, dean.@gdcnagpur.edu.in

No. GDCH / SS/ LIC Inspection/313 / 2024

Dt.19/1/2026

TO WHOMSOEVER IT MAY CONCERN

This is to certify that Tobacco Cessation Centre is established in this institution.

> Dean Govt. Dental College & Hospital Govt. Dental Caffeld & Hospital, Nagpur













शासकीय दंत महाविद्यालय व रूग्णालय, नागपूर



website : www.gdcnagpur.edu.in = Email : dean.gdcngp@gmail.com, = dean.@gdcnagpur.edu.in

GOVERNMENT DENTAL COLLEGE & HOSPITAL, NAGPUR

No. GDCH / SS/ LIC Inspection/3 12 / 2024

Dt.19/1 /2022

TO WHOMSOEVER IT MAY CONCERN

This is to certify that CCTV is installed and in working position with sufficient back up at Govt. Dental College & Hospital, Nagpur.

Govt. Dental College & Hospital

Opensur Govt. Dental College & Hospital,















No. GDCH / SS/ LIC Inspection / 311 / 2024

Dt./8/0//24.

TO WHOMSOEVER IT MAY CONCERN

This is to certify that every department in the premises of Govt. Dental College & Hospital, Nagpur have centralized compressor system installed & functional.

Also there are two generators of 120 KVA & 240 KVA installed in the premises for electric back up.

Govt. Dental College & Hospital

Naggar Govt. Dental College & Hospital, Magpur

















website : www.gdcnagpur.edu.in Email : dean.gdcngp@gmail.com, dean.@gdcnagpur.edu.in

No. GDCH / SS/ LIC Inspection/ 310 / 2024

Dt18 101 124

TO WHOMSOEVER IT MAY CONCERN

This is to certify that Institutional Ethics Committee is established at Govt. Dental College & Hospital, Nagpur as per ICMR norms.

> Govt. Dental College & Hospital Nagorin Govt. Dental College & Hospital, Nagpur















website: www.gdcnagpur.edu.in Email: dean.gdcngp@gmail.com, dean.@gdcnagpur.edu.in

No. GDCH / SS/ LIC Inspection/ 30-9 / 2024

Dt.18/01/24

TO WHOMSOEVER IT MAY CONCERN

This is to certify that there is no grievances or complaints in the academic year 2023-24 in VISHAKA at Govt. Dental College & Hospital Nagpur.

Govt. Dental College & Hospital

Govt. Dental College & Hospital, Nagpur

















website: www.gdcnagpur.edu.ir

Email: dean gdcngp@gmail.com

dean @gdcnagpur.edu.in

No. GDCH / SS/ LIC Inspection / 2024 / 308

Dt.18/01/24

TO WHOMSOEVER IT MAY CONCERN

This is to certify that Bio Medical Waste management is functioning at Govt. Dental College & Hospital, Nagpur.

Govt. Dental College & Hospital

Govt. Dental College & Hospital,
















website : www.gdcnagpur.edu.in Email : dean.gdcngp@gmail.com, dean.@gdcnagpur.edu.in

No . GDCH / SS/ LIC Inspection / 2024 / 301

Dt. 18/01 /24

TO WHOMSOEVER IT MAY CONCERN

This is to certify that Fire & Safety measures are installed sufficiently in the premises of Govt. Dental College & Hospital, Nagpur as per fire & safety norms.

> Govt. Dental College & Hospital Negaur Govt. Dental College & Hospital,

> > Nagpur















website: www.gdcnagpur.edu.ir

Email: dean gdcngp@gmail.com, dean @gdcnagpur.edu.i

No. GDCH / SS/ LIC Inspection / 2024 / 366 / 2024 .

Dt. 18/01/24

TO WHOMSOEVER IT MAY CONCERN

This is to certify that Govt. Dental College & Hospital, Nagpur has AERB Certification.

Govt. Dental College & Hospital

Negour Govt. Dental College & Hospital, Nagpur















No. GDCH / SS/LIC Inspection/ 305 / 2024

Dt.18/01/24

TO WHOMSOEVER IT MAY CONCERN

This is to certify that Hostel facility is available in Girls (142 capacity) & Boys (76 capacity) hostel for Under Graduate & post Graduate students at govt. Dental College & Hospital, Nagpur.

Dean
Govt. Dental College & Hospital
Nagpur
Govt. Dental College & Hospital,
Nagpur















No. GDCH / SS/LIC Inspection/ 304 / 2024

Dt. 18/0//24

TO WHOMSOEVER IT MAY CONCERN

This is to certify that Govt. Dental College & hospital, Nagpur is a ragging free campus and no cases of ragging have been reported in this institution till date.

Dean
Govt. Dental College & Hospital
Nagental College & Hospital,
Nagenr













GOVERNMENT OF INDIA ATOMIC ENERGY REGULATORY BOARD RADIOLOGICAL SAFETY DIVISION

Case File Number: MH-30861-RF-XR-001

Issuance Date: 09/08/2022

Document Number: 17-LOEE-181474

Expiry Date: 09/08/2032

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of Dr. DR. ABHAY DATARKAR to operate the following medical diagnostic x-ray equipment located at GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR, GOVERNMENT DENTAL COLLEGE, GMC CAMPUS, MEDICAL SQU, MEDICAL SQUARE NAGPUR, MAHARASHTRA-440003 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Dental Cone Beam CT	M/s. Planmeca OY	Planmeca ProMax 3D Mid	G-XR-35307

The DEAN, GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR, NAGPUR and DR. DR. ABHAY DATARKAR are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
 - Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma Head, RSD

DR. DR. ABHAY DATARKAR

GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR GOVERNMENT DENTAL COLLEGE, GMC CAMPUS, MEDICAL SQU, MEDICAL SQUARE NAGPUR, MAHARASHTRA-440003

Copy to: DEAN, GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR, NAGPUR





ATOMIC ENERGY REGULATORY BOARD RADIOLOGICAL SAFETY DIVISION

Case File Number: MH-30861-RF-XR-009

Issuance Date: 09/08/2022

Document Number: 17-LOEE-181838

Expiry Date: 09/08/2032

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of Dr. DR. ABHAY DATARKAR to operate the following medical diagnostic x-ray equipment located at GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR, GOVERNMENT DENTAL COLLEGE, GMC CAMPUS, MEDICAL SQU, MEDICAL SQUARE NAGPUR, MAHARASHTRA-440003 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Ortho Pantomography (OPG)	M/s. Planmeca OY	Planmeca Proline-EC/XC	G-XR-67122

The DEAN, GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR, NAGPUR and DR. DR. ABHAY DATARKAR are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- 11. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma Head, RSD

DR. DR. ABHAY DATARKAR

GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR GOVERNMENT DENTAL COLLEGE, GMC CAMPUS, MEDICAL SQU, MEDICAL SQUARE NAGPUR, MAHARASHTRA-440003





GOVERNMENT OF INDIA ATOMIC ENERGY REGULATORY BOARD RADIOLOGICAL SAFETY DIVISION

Case File Number: MH-30861-RF-XR-015

Issue Date: 31/08/2019

Document Number: 19-LOP-424742

Expiry Date: 31/08/2024

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of DR. SINDHU GANVIR to operate the following diagnostic radiology equipment located at GOVERNMENT DENTAL COLLEGE, GMC CAMPUS, MEDICAL SQU, MEDICAL SQUARE NAGPUR, MAHARASHTRA-440003 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Dental (Intra Oral)	M/s. New Life Radiology S.R.L., Italy	BEST-X-DC	G-XR-115999

The DEAN AND HEAD OF DEPARTMENT, GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR, NAGPUR and DR. SINDHU GANVIR are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

Thi egistration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma Head, RSD

DR. SINDHU GANVIR, DEAN AND HEAD OF DEPARTMENT GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR GOVERNMENT DENTAL COLLEGE, GMC CAMPUS, MEDICAL SQU, MEDICAL SQUARE NAGPUR, MAHARASHTRA-440003

CC: DEAN AND HEAD OF DEPARTMENT, GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR, NAGPUR







TERMS AND CONDITIONS

- 1. No activity will be carried out by your institute for purposes other than those specified in this Licence.
- 2. The regulatory responsibilities of the employer, licensee and RSO as laid down in the Atomic Energy (Radiation Protection) Rules, 2004 or the latest revision of AERB Safety Code (AERB/SC/Med-2) shall be adhered to.
- 3. Availability of qualified and trained personnel and personnel monitoring service for radiation workers shall be ensured all the time.
- 4. Availability of services of a qualified radiologist or related medical practitioner, with adequate knowledge of radiation protection for interpretation and reporting shall be ensured all the time.
- 5. Full facilities shall be accorded to any authorised representatives of the competent authority to inspect the facility at any time. Records on manufacturing/supply/Quality Assurance Tests /Type Approvals shall e made available.
- 6. The periodic safety status report of x-ray equipment in the possession of the institution shall be submitted to AERB.
- 7. The x-ray shall not be sold or otherwise transferred to another person without obtaining the specific permission from AERB.
- 8. In case of change in layout/change in positioning/change in location of x-ray equipment prior permission shall be obtained from regulatory body.
- 9. Any incident involving radiation exposure to person from this x-ray equipment shall be immediately intimated to AERB.
- 10. Licence shall be renewed before its expiry.
- 11. A copy of this Licence shall be displayed in a prominent location in the control room of x-ray equipment.
- 12. This license may be suspended, modified or withdrawn as specified in the Atomic Energy (Radiation Protection) Rules, 2004, in the event of contravention of the provisions of the above Act / Rules / Codes or terms and conditions of the Licence. Where deemed appropriate, AERB may also initiate penal action against the Employer/licensee in such an event.
 - 13. In case there is change in information contained in this licence after its issuance, such as change of Licensee, Employer, name of institution, address etc., and changes such as addition/ decommissioning of Medical X-ray equipment it shall be ensured by licensee that the necessary amendment to this effect to the licence is obtained from the Competent Authority.
 - 14. The X-ray equipment shall be operated by **qualified personnel trained** in radiation safety. No radiation worker shall be allowed to operate the X-ray equipment without TLD badge/PMS.

XXXXXXXXXXXXXXXX



ATOMIC ENERGY REGULATORY BOARD RADIOLOGICAL SAFETY DIVISION

Case File Number: MH-30861-RF-XR-014

Issue Date: 31/08/2019

Document Number: 19-LOP-424740

Expiry Date: 31/08/2024

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of DR. SINDHU GANVIR to operate the following diagnostic radiology equipment located at GOVERNMENT DENTAL COLLEGE, GMC CAMPUS, MEDICAL SQU, MEDICAL SQUARE NAGPUR, MAHARASHTRA-440003 for Medical Diagnosis purposes.

Type of Equipment	Manufacturer	Model	Equipment Id
Dental (Intra Oral)	M/s. New Life Radiology S.R.L., Italy	BEST-X-DC	G-XR-115997

The DEAN AND HEAD OF DEPARTMENT, GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR, NAGPUR and DR. SINDHU GANVIR are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

Thir Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma Head, RSD

DR. SINDHU GANVIR, DEAN AND HEAD OF **DEPARTMENT**GOVERNMENT DENTAL COLLEGE AND **HOSPITAL**, **NAGPUR**GOVERNMENT DENTAL COLLEGE, **GMC CAMPUS**, **MEDICAL SQU**, **MEDICAL SQU**ARE
NAGPUR, MAHARASHTRA-440003

CC: DEAN AND HEAD OF DEPARTMENT, GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR, NAGPUR







TERMS AND CONDITIONS

- 1. No activity will be carried out by your institute for purposes other than those specified in this Licence.
- 2. The regulatory responsibilities of the employer, licensee and RSO as laid down in the Atomic Energy (Radiation Protection) Rules, 2004 or the latest revision of AERB Safety Code (AERB/SC/Med-2) shall be adhered to.
- 3. Availability of qualified and trained personnel and personnel monitoring service for radiation workers shall be ensured all the time.
- 4. Availability of services of a qualified radiologist or related medical practitioner, with adequate knowledge of radiation protection for interpretation and reporting shall be ensured all the time.
- 5. Full facilities shall be accorded to any authorised representatives of the competent authority to inspect the facility at any time. Records on manufacturing/supply/Quality Assurance Tests /Type Approvals shall be made available.
- 6. The periodic safety status report of x-ray equipment in the possession of the institution shall be submitted to AERB.
- 7. The x-ray shall not be sold or otherwise transferred to another person without obtaining the specific permission from AERB.
- 8. In case of change in layout/change in positioning/change in location of x-ray equipment prior permission shall be obtained from regulatory body.
- 9. Any incident involving radiation exposure to person from this x-ray equipment shall be immediately intimated to AERB.
- Licence shall be renewed before its expiry.
- 11. A copy of this Licence shall be displayed in a prominent location in the control room of x-ray equipment.
- 12. This license may be suspended, modified or withdrawn as specified in the Atomic Energy (Radiation Protection) Rules, 2004, in the event of contravention of the provisions of the above Act / Rules / Codes or terms and conditions of the Licence. Where deemed appropriate, AERB may also initiate penal action against the Employer/licensee in such an event.
- 13. In case there is change in information contained in this licence after its issuance, such as change of Licensee, Employer, name of institution, address etc., and changes such as addition/ decommissioning of Medical X-ray equipment it shall be ensured by licensee that the necessary amendment to this effect to the licence is obtained from the Competent Authority.
- 14. The X-ray equipment shall be operated by **qualified personnel trained** in radiation safety. No radiation worker shall be allowed to operate the X-ray equipment without TLD badge/PMS.

XXXXXXXXXXXXXXXX



GOVERNMENT OF INDIA ATOMIC ENERGY REGULATORY BOARD RADIOLOGICAL SAFETY DIVISION

Case File Number: MH-30861-RF-XR-017

Issue Date: 25/11/2021

Document Number: 21-REGNEWIMPORT-829651

Expiry Date: 25/11/2031

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues Registration in favour of Dr.Dr. ABHAY DATARKAR to operate the following diagnostic radiology equipment located at GOVERNMENT DENTAL COLLEGE, GMC CAMPUS, MEDICAL SQU, MEDICAL SQUARE, NAGPUR, MAHARASHTRA, 440003 for Medical Diagnosis.

Model Name	Name of Manufacturer	Name of Supplier	Equipment Identification No	Serial No
Orthophos XG 3D Ready	M/s. Sirona Dental Systems Gmbh	DENTSPLY INDIA PVT LTD	G-XR-151661	52011
	Orthophos	Orthophos M/s. Sirona Dental	Orthophos M/s. Sirona Dental DENTSPLY INDIA PVT	Orthophos M/s. Sirona Dental DENTSPLY INDIA PVT G-XR-151661

The DEAN, GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR, NAGPUR and DR. DR. ABHAY DATARKAR are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note

This degistration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma Head, RSD

GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR GOVERNMENT DENTAL COLLEGE, GMC CAMPUS, MEDICAL SQU., MEDICAL SQUARE NAGPUR-440003,MAHARASHTRA

Note: This document is also available at www.aerb.gov.in/elora

परमाणु ऊर्जा नियामक परिषद्,नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र) Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



Dean GDCH Nagpur <dean.gdcngp@gmail.com>

Final Grade Declared

1 message

Admin-Naac <noreply.onlineassessment@gmail.com>
Fri, Nov 10, 2023 at 6:35 PM
To: "GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR" <dean.gdcngp@gmail.com>

NATIONAL ASSESSMENT AND ACCREDITATION COUNCIL

F.19.26/EC(SC-173)/DO

9th November 2023

The Principal GOVERNMENT DENTAL COLLEGE AND HOSPITAL, NAGPUR Nagpur - 440003 Maharashtra

Dear Principal,

Greetings from NAAC!

I am glad to inform you that the outcome of the Assessment and Accreditation (A&A) exercise of your institution has been processed and approved by the Standing Committee constituted by the Executive Committee to examine the peer team reports and declare the accreditation results. Your institution has been Accredited with a CGPA of 3.33 on a seven point scale at A+ Grade valid for a period of 5 years from 09 - 11 - 2023. The original certificate of accreditation will be dispatched to the institution in due course. The Assessment Outcome Document (AOD) of your institution is available on the portal and the same may be downloaded and displayed on your institutional website. I am sure that the detailed peer team report handed over to you during the exit meeting along with the AOD will enable the institution to initiate further quality enhancement measures.

As per the guidelines of NAAC, it is mandatory for accredited institutions to retain the Self-Study Report (SSR) uploaded on the institutional website for A&A by NAAC until the completion of validity period of A&A. The SSR along with data templates should not be password protected and accessible to all the stakeholders. Institutions are also requested to take note of the mandatory requirement of submitting Annual Quality Assurance Report (AQAR) and uploading them on the institutional website on regular basis. Failing to submit the AQARs annually, institutions will not be eligible for the next cycle of accreditation. For details on the revised guidelines, please visit our website: www.naac.gov.in from time to time.

With best wishes, Yours sincerely, DIRECTOR, NAAC

THIS IS AN AUTO GENERATED MAIL, PLEASE DO NOT REPLY TO THIS MAIL.



GOVERNMENT OF MAHARASHTRA

330.PGD-1011 CR-403 TI/EDU-2 Medical Education and Drugs Department. Mantralaya, Mumbai 400 032.

20th January, 2012

ESSENTIALITY CERTIFICA

To, The Dean, Government Dental College & Hospital, Medical Square, Nagpur 440 003.



Sir,

rtificate is being given in as follows:-

	Sir	This certificate is being given in as follows:-	
1	1 [No. of Institutions already existing in the State	: 32
3500	2	No. of seats available or No. of dental surgeons being produced	. 2430 Scats
DWBILL		No. of dental surgeons registered with the State Dental Council	: 13000
The state of	3		. N.A.
M	4	No. of dental surgeons in Government Service	
teng	5	No. of Government posts vacant and those in rural / difficult areas	: N.A.
9	6	No. of dental surgeons registered	on are filled throi ervice Commissi 1 : 71176
Lus /	7	Dental Surgeon population ratio in the State	
	8	How the increased intake capacity of the college would resolve the problem of deficiencies of qualified dental personnel in the State and improve the availability of such dental manpower in the provided the capacity of the college would dental the state and improve the provided the capacity of the college would be capacity of the	city of the cold generate nations from elCountry who ide dental service people of elCountry.
J. (4)	9	The restrictions imposed by the State Government, if any, on students who are not domiciled in the State from obtaining admissions in the State, be specified.	As per the rule Govt. of Maharashtra & Court rulings.
	1	Increase in intake c	e aspiring stude
Jane Mano		Dental Surgeon - patient ratio proposed to be achieved	:: 1:100
Prest	1	Essentiality Certificate- P	
E/2/20	172		

E 2/2012

Pacitale

The Government of Maharashtra, after considering application of the Directorate of Medical Education & Research, Mumbai, has decided to issue "Essentiality Certificate" to the Government Dental College & Hospital, Nagpur for increase in admission capacity from 40 to 50.

(a) The Dental College has tied up with Government Medical College & Hospital, Nagpur for using 100 beds.

(b) The Dental College owns a dental clinic with 220 Chairs

(c) It is desirable to increase intake capacity of the dental college in the public interest

(d) Increase in intake capacity of B.D.S.Course by Government Dental College & Hospital, Nagpur is feasible.

(e) Adequate clinical material as per the norms of the Dental Council of India is available with the college.

It is further certified that in case the Applicant fails to create infrastructure required for increase in intake capacity as per Dental Council of India 's norms and if fresh admissions are stopped by the Dental Council of India / Central Government, the State Government shall think over to take the responsibility of the students already admitted in the College with the permission of the Central Government.

This Certificate shall be valid for three year from the date of issue.



Yours faithfully.

(V.L.Dhole)

Joint Secretary to the Government

Copy to:-

- The Secretary, Ministry of Health & Family Welfare, Government of India, New Delhi-110 011
- 2) The Secretary, Dental Council of India Kotla Road, New Delhi

The Director, Medical Education & research Mumbai

4) The Registrar, Maharashtra Health University, Nashik.

5) Select File

No. Demail and an action w.

Office of the Dean

Govt. Denial College and Hope-

> cvi. Hermi College and Arcycle 18" 2:31 Malifee



FAX NO. 0712-2744459. GOVT. MEDICAL COLLEGE, NAGPUR. शासकीय वैद्यकीय महाविद्यालय, गागपूर

No. GMCN/ESTB.A/MCI/Cert./QCM2- /2013.

Dated: 23/04/2013.

TO WHOSE COFFERTIONAY CONCERN.

THE IS TO CERTIFY DUTT:

- . The Government Medical Callege, Nagpur is recognized by Steelical
- The Government Dental College, Naggour is attached to the Government Medical College, Magpur for teaching purpose for the enbjects te. Anatomy, Physiology, Biochemistry, Pharmacology, mathology and Microbiology along with Chaical subjects i.e. General Medicine and General Surgery.

. No other Pantal Colleges are attached to this Institution other than

the Govt. Dental College, Nagruit.

Govt. Medical College, Nagpur. Dean,

Notes of mty Modical Superintendent edical College a Hospital MAGRUÉ



GOVT. MEDICAL COLLEGE, NAGPUR

शासकीय-वैद्यकीय महाविद्यालय, नागपुर

No College/Stanol (53311

12017

Date 6/7/2017

To, DEAN Govt, Dental College & Hospital Nagpur

This is to certify that all the teachers of Govt. Medical College & Hospital, Negous and Microbiology along with the cinical subject its. Seneral Medicine and General Surgery teach Dental Students of 1" year 2" year and 3rd year of Govt. Dental College & Hospital, Naggus as a part of their duty.

DEAN Govi. Medical College, Nagpur

CX WASA

ity Medical Superintendent Medical College & Hospital NAGPUR

